

BRAND

Flight Whole world

跨越国度的贸易

Seeking perfect and fashionable living space feeling

生活与艺术的结晶
追求完美时尚的生活空间



光辉27载

公司简介

INTRODUCTION OF COMPANY

廣東永信門窗五金科技有限公司始創于1992年，是一家集研發、設計、生產、國內銷售、對外貿易為一體的綜合性企業，產品註冊商標為“永信”“永信”圖形商標。

廣東永信門窗五金科技有限公司于2005年取得“中國建築金屬結構協會”會員資格，于2006年榮獲“中國優秀綠色產品”證書及“中國消費者信得過產品”稱號。公司于2007年通過ISO9001:2000認證。2010年公司在肇慶國家高新工業園區內建立規模宏大的鋁門窗五金配件研發生產基地，基地占地面積近5萬平方米。

公司始終把工藝設備先進性放在首位，投入巨資用于先進設備購置，并在行業中保持優先。在銷售服務方面，公司牢固樹立“以客戶為中心”、“以服務贏得市場”的經營理念，售前免費為客戶提供新產品設計、配套、售中提供物流服務，售後提供技術安裝指導服務。企業非常注重品牌形象的長期塑造，突出“永信”產品的技術領先性，終身品質服務的市場形象。

“以誠信經營開拓市場、以卓越品質贏得贊譽”的發展觀。代表了永信人“追求卓越、與時俱進”的精神。在經歷了二十年的競爭與發展，永信公司完成了經營理念，人才、技術、資金、市場體系、管理團隊、企業文化、內外資源等的企業運營元素的有效整合，為客戶提供高質量全方位配套服務的同時，與客戶建立起了長期、穩定、互惠互利的合作關係，以高品質和優質服務長期立足于廣泛市場區域。

Guangdong Yongxin Doors and Windows hardware technology co.LTD. founded in 1992, is a comprehensive enterprise integrating research and development, design, production, domestic sales and foreign trade. The registered trademark of the product is "Yongxin".

Guangdong Yongxin Doors and Windows hardware technology Co., LTD. Obtained the "Chinese building metal structure association" membership in 2005, and won the "China excellent green products" certificate and "Chinese consumer trustworthy products" title in 2006. The company passed ISO9001:2000 certification in 2007. In 2010, the company established a large-scale R&D and production base for aluminum door and window accessories in the National high-tech industrial park of zhaoqing, covering an area of nearly 50,000 square meters.

The company has always put the advanced equipment in the first position, invested much in the purchase of advanced equipment, and maintained the leading place in the industry. In terms of sales services, the company firmly sets up the business philosophy of "customer focus" and "service wins the market", providing new product design and supporting facilities free of charge before selling, logistics service in selling and technical safety installation guidance after selling. The company attaches great importance to the long-term shaping of brand image, and highlights the market image of "Yongxin" products with advanced technology and lifelong quality service.

The concept of "developing market with integrity and winning praise with excellent quality" represents the spirit of Yongxin people to pursue excellence and keep pace with The Times. After 20 years of competition and development, and points out the company completed the management idea, talent, technology, capital, market system, the management team, the enterprise culture, effective integration of internal and external resources of enterprises operating elements, to provide high quality all-round supporting services at the same time, with customers to establish long-term, stable and mutually beneficial relations of cooperation, with high quality and good service based on the broad market area for a long time.



Manufacturing equipments 制造设备

Adhere to provide first-class products for customers, strictly in accordance with IS9001: 2000 international quality system standards. Effective management and monitoring of product manufacturing processes. Pursue customer satisfaction quality! Introduce advanced manufacturing equipment, adopt high quality and high standard raw materials, at the same time apply high and new precision manufacturing technology. So as to ensure product's application in high standard field.

坚持为客户提供一流产品，严格按照IS9001:2000国际质量体系标准，对产品制造各流程，进行有效管理、监控，追求用户满意品质!引进先进制造设备，采用高品质高标准原材料，同时应用高新精密制造工艺，从而确保产品的高标准领域应用需求。

Explore the market

with honesty and win reputation with excellent quality

以诚信经营拓市场，以卓越品质赢赞誉



诚信/崇尚荣誉/品质
GOOD FAITH/ADVOCATE HONOR/QUALITY



测试报告 Test Report 报告编号 NO.: MMCBMH9M40425704 日期 Date: 2018.10.17 Page 1 of 40 (SVHC)

委托单位 Applicant: 广东永信门窗五金科技有限公司
地址 Address: 广东肇庆国家高新区滨江路 17 号

委托单位提供样品信息如下:
The following sample(s) was/were submitted and identified on behalf of the client as:

样品名称 Sample Name: 喷粉
样品描述 Sample Description: 黑色粉末

样品接收日期 Sample Received Date: 2018.10.08
样品测试日期 Testing Period: 2018.10.08 TO 2018.10.17

参考要求 Reference Requested: 基于欧洲化学品管理署于 2008 年 10 月 28 日, 2010 年 1 月 13 日, 2010 年 3 月 30 日, 2010 年 6 月 18 日, 2010 年 12 月 15 日, 2011 年 6 月 20 日, 2011 年 12 月 19 日, 2012 年 6 月 18 日, 2012 年 12 月 19 日, 2013 年 6 月 20 日, 2013 年 12 月 16 日, 2014 年 6 月 16 日, 2014 年 12 月 17 日, 2015 年 6 月 15 日, 2015 年 12 月 17 日, 2016 年 6 月 20 日, 2017 年 1 月 12 日, 2017 年 7 月 7 日, 2018 年 1 月 15 日及 2018 年 6 月 27 日公告的供货授权的高关注物质列入候选清单的建议 (根据欧盟第 1907/2006 号 REACH 法规), 根据客户要求要求进行筛选测试。
Very High Concern (SVHC) testing Based on the list published by European Chemicals Agency (ECHA) on 28 Oct 2008, 13 Jan 2010, 30 Mar 2010, 18 Jun 2010, 15 Dec 2010, 20 Jun 2011, 19 Dec 2011, 18 Jun 2012, 19 Dec 2012, 20 Jun 2013, 16 Dec 2013, 16 Jun 2014, 17 Dec 2014, 15 Jun 2015, 17 Dec 2015, 20 Jun 2016, 12 Jan 2017, 7 Jul 2017, 15 Jan 2018 and 27 Jun 2018, regarding Regulation (EC) No 1907/2006 concerning the REACH. Screening tests based on customer requirements.

测试结果 Test result(s): 请参见下页 Please refer to next page(s)

摘要 Summary: 根据分析结果, 所检样品中 191 项 SVHC 浓度均小于 0.1%。
According to the analytical results, concentrations of 191 SVHC substances are less than 0.1% in the submitted sample.

批准人 Approved by: 甘利



Code: d3s2v75e2j



www.ponytest.com Hotline 400-819-5688
北京总部: 010-62181818 成都分公司: 028-18181818 上海分公司: 021-48019999 济南分公司: 0531-2659999
青岛分公司: 0532-87766666 杭州分公司: 0571-88108881 宁波分公司: 0574-87744444 广州分公司: 020-89224188
天津分公司: 022-27667788 大连分公司: 0411-84606200 苏州分公司: 0512-87228888 深圳分公司: 0755-89871177
南京分公司: 025-44441111 绍兴分公司: 0571-89330070 常州分公司: 0512-62997000 厦门分公司: 0592-5500888



Perfect

Products Satisfied Consumption By Top Quality Standard

Gathering high quality products, devoted to construction of architectural door and windowhardware/silicone adhesive products, one-station purchase/matched service

严格标准/用户赞誉品质

汇聚优质精品, 致力构建建筑门窗五金/硅酮胶产品, 一站式采购/配套服务



CONTENT 目录

001-004	Mortise lock series/门锁系列
004-007	Handles series/ 执手系列
007-010	7 Shaped handles series/ 七字执手系列
010-011	Crescent locks series/月牙锁系列
011-012	Window transmission rod series/传动杆系列
012-017	Window lock series/窗锁系列
018-019	Door flush bolts series/插销系列
020-022	Lock body series/锁体系列
023-025	Hinge series/合页系列
026-026	Shutter series/百叶窗系列
027-033	Alloy corner joint series/连接角码系列
033-039	Window pulleys series/窗轮系列
040-045	Friction stay series/铰链系列
046-048	Accessories series/配件系列
049-055	Door control series/门控系列
056-060	Door accessories series/门控配件系列
061-063	Sealant series/粘胶系列
064-066	Thermal barrier strips series/胶件系列

Gathering high quality products, devoted to construction of architectural door and window hardware/silicone adhesive products, one-station purchase/matched service

汇聚优质精品，致力构建建筑门窗五金/硅酮胶产品，一站式采购/配套服务


诚信 · 品质追求卓越

Mortise lock series/门锁系列

YX-C01

名称:对接把手

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function: Window lock/Door lock
Material: Aluminium alloy
Surface treatment: Powder-coated(White/Black.....)
Spray-paint(Silver/Black.....)Surface treatment and color can be produced according to customer requirement.

Mortise lock series/门锁系列

YX-C06B

名称:对接把手

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function: Window lock/Door lock
Material: Aluminium alloy
Surface treatment: Powder-coated(White/Black.....)
Surface treatment and color can be produced according to customer requirement.

Mortise lock series/门锁系列

YX-C09

名称:对接把手

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function: Window lock/Door lock
Material: Aluminium alloy
Surface treatment: Powder-coated(White/Black.....)
Surface treatment and color can be produced according to customer requirement.

Mortise lock series/门锁系列

YX-C22

名称:对接把手

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function: Window lock/Door lock
Material: Aluminium alloy
Surface treatment: Powder-coated(White/Black.....)
Surface treatment and color can be produced according to customer requirement.

YX-C06

名称:对接把手

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function: Window lock/Door lock
Material: Aluminium alloy
Surface treatment: Powder-coated(White/Black.....)
Surface treatment and color can be produced according to customer requirement.

YX-C07

名称:对接把手

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function: Window lock/Door lock
Material: Aluminium alloy
Surface treatment: Powder-coated(White/Black.....)
Surface treatment and color can be produced according to customer requirement.

YX-C10

名称:对接把手

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function: Window lock/Door lock
Material: Aluminium alloy
Surface treatment: Powder-coated(White/Black.....)
Surface treatment and color can be produced according to customer requirement.

YX-C23

名称:对接把手

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function: Window lock/Door lock
Material: Aluminium alloy
Surface treatment: Powder-coated(White/Black.....)
Surface treatment and color can be produced according to customer requirement.

YX-C06A

名称:对接把手

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function: Window lock/Door lock
Material: Aluminium alloy
Surface treatment: Powder-coated(White/Black.....)
Surface treatment and color can be produced according to customer requirement.

YX-C08

名称:对接把手

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function: Window lock/Door lock
Material: Aluminium alloy
Surface treatment: Powder-coated(White/Black.....)
Surface treatment and color can be produced according to customer requirement.

YX-C11

名称:对接把手

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function: Window lock/Door lock
Material: Aluminium alloy
Surface treatment: Powder-coated(White/Black.....)
Surface treatment and color can be produced according to customer requirement.

YX-C26

名称:对接把手

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function: Window lock/Door lock
Material: Aluminium alloy
Surface treatment: Powder-coated(White/Black.....)
Surface treatment and color can be produced according to customer requirement.

Handles series/ 执手系列

YX-B07

名称:执手

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Window lock/Door lock
Material:Aluminium alloy
Surface treatment:Powder-coated(White/Black.....)
Spray-paint(Silver/Black.....)Surface treatment and color can be produced according to customer requirement.

Handles series/ 执手系列

YX-B16

名称:执手

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Window lock/Door lock
Material:Aluminium alloy
Surface treatment:Powder-coated(White/Black.....)
Spray-paint(Silver/Black.....)Surface treatment and color can be produced according to customer requirement.

Handles series/ 执手系列

YX-B40

名称:执手

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function:Window lock/Door lock
Material:Aluminium alloy
Surface treatment:Powder-coated(White/Black.....)
Spray-paint(Silver/Black.....)Surface treatment and color can be produced according to customer requirement.

Handles series/ 执手系列

YX-L35

名称:拉手

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Handle
Material:Aluminium alloy
Surface treatment:Spraying(Black/Silver.....)
Surface treatment and color can be produced according to customer requirement.

YX-B10

名称:执手

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Window lock/Door lock
Material:Aluminium alloy
Surface treatment:Powder-coated(White/Black.....)
Spray-paint(Silver/Black.....)Surface treatment and color can be produced according to customer requirement.

YX-B37

名称:执手

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Window lock/Door lock
Material:Aluminium alloy
Surface treatment:Powder-coated(White/Black.....)
Spray-paint(Silver/Black.....)Surface treatment and color can be produced according to customer requirement.

YX-B42

名称:执手

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function:Window lock/Door lock
Material:Aluminium alloy
Surface treatment:Powder-coated(White/Black.....)
Spray-paint(Silver/Black.....)Surface treatment and color can be produced according to customer requirement.

YX-L37

名称:拉手

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Handle
Material:Aluminium alloy
Surface treatment:Spraying(Black/Silver.....)
Surface treatment and color can be produced according to customer requirement.

YX-B12

名称:执手

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function:Window lock/Door lock
Material:Aluminium alloy
Surface treatment:Powder-coated(White/Black.....)
Spray-paint(Silver/Black.....)Surface treatment and color can be produced according to customer requirement.

YX-B38

名称:执手

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function:Window lock/Door lock
Material:Aluminium alloy
Surface treatment:Powder-coated(White/Black.....)
Spray-paint(Silver/Black.....)Surface treatment and color can be produced according to customer requirement.

YX-B51

名称:执手

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Window lock/Door lock
Material:Aluminium alloy
Surface treatment:Powder-coated(White/Black.....)
Spray-paint(Silver/Black.....)Surface treatment and color can be produced according to customer requirement.

YX-L38

名称:拉手

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function:Handle
Material:Aluminium alloy
Surface treatment:Spraying(Black/Silver.....)
Surface treatment and color can be produced according to customer requirement.

Handles series/ 执手系列

YX-L39

名称:大拉手

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function: Handle
Material: Aluminium alloy
Surface treatment: Anodize natural (Silver/Brown.....)
Powder-coated (White/Black.....)
Spray-paint (Silver/Black.....) Surface treatment and color can be produced according to customer requirement.

YX-L39A

名称:拉手

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function: Handle
Material: Aluminium alloy
Surface treatment: Spraying (Black/Silver.....)
Surface treatment and color can be produced according to customer requirement.

YX-L45

名称:拉手

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function: Handle
Material: Aluminium alloy
Surface treatment: Spraying (Black/Silver.....)
Surface treatment and color can be produced according to customer requirement.

7 Shaped handles series/ 七字执手系列

YX-F02B

名称:七字执手

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function: 7 Shaped handles
Material: Zinc alloy
Surface treatment: Spraying (Silver, Black.....)
Surface treatment and color can be produced according to customer requirement.

YX-F02C

名称:七字执手

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function: 7 Shaped handles
Material: Zinc alloy
Surface treatment: Spraying (Silver, Black.....)
Surface treatment and color can be produced according to customer requirement.

YX-F06B

名称:七字执手

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function: 7 Shaped handles
Material: Zinc alloy
Surface treatment: Spraying (Silver, Black.....)
Surface treatment and color can be produced according to customer requirement.

7 Shaped handles series/ 七字执手系列

YX-F10

名称:七字执手

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function: 7 Shaped handles
Material: Zinc alloy
Surface treatment: Spraying (Silver, Black.....)
Surface treatment and color can be produced according to customer requirement.

YX-F13

名称:七字执手

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function: 7 Shaped handles
Material: Zinc alloy
Surface treatment: Spraying (Silver, Black.....)
Surface treatment and color can be produced according to customer requirement.

YX-F13B

名称:七字执手

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function: 7 Shaped handles
Material: Zinc alloy
Surface treatment: Spraying (Silver, Black.....)
Surface treatment and color can be produced according to customer requirement.

7 Shaped handles series/ 七字执手系列

YX-F13C

名称:七字执手

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function: 7 Shaped handles
Material: Zinc alloy
Surface treatment: Spraying (Silver, Black.....)
Surface treatment and color can be produced according to customer requirement.

YX-F14

名称:七字执手

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function: 7 Shaped handles
Material: Zinc alloy
Surface treatment: Spraying (Silver, Black.....)
Surface treatment and color can be produced according to customer requirement.

YX-F15

名称:七字执手

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function: 7 Shaped handles
Material: Zinc alloy
Surface treatment: Spraying (Silver, Black.....)
Surface treatment and color can be produced according to customer requirement.

Window lock series/ 窗锁系列

YX-L08

名称:窗锁

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function:Window lock
Material:Aluminum alloy
Surface treatment:Spraying(Black/Silver.....)
Surface treatment and color can be produced according to customer requirement.

Window lock series/ 窗锁系列

YX-L12

名称:窗锁

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function:Window lock
Material:Zinc alloy
Surface treatment:Spraying(Black/Silver.....)
Surface treatment and color can be produced according to customer requirement.

Window lock series/ 窗锁系列

YX-L14

名称:窗锁

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function:Window lock
Material:Aluminum alloy
Surface treatment:Spraying(Black/Silver.....)
Surface treatment and color can be produced according to customer requirement.

Window lock series/ 窗锁系列

YX-L16C

名称:窗锁

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Window lock
Material:Aluminum alloy
Surface treatment:Spraying(Black/Silver.....)
Surface treatment and color can be produced according to customer requirement.

YX-L10

名称:窗锁

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Window lock
Material:Aluminum alloy
Surface treatment:Spraying(Black/Silver.....)
Surface treatment and color can be produced according to customer requirement.

YX-L13

名称:窗锁

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Window lock
Material:Aluminum alloy
Surface treatment:Spraying(Black/Silver.....)
Surface treatment and color can be produced according to customer requirement.

YX-L16A

名称:窗锁

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function:Window lock
Material:Zinc alloy
Surface treatment:Spraying(Black/Silver.....)
Surface treatment and color can be produced according to customer requirement.

YX-L18

名称:窗锁

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function:Window lock
Material:Aluminum alloy
Surface treatment:Spraying(Black/Silver.....)
Surface treatment and color can be produced according to customer requirement.

YX-L11

名称:窗锁

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Window lock
Material:Zinc alloy
Surface treatment:Spraying(Black/Silver.....)
Surface treatment and color can be produced according to customer requirement.

YX-L13B

名称:窗锁

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function:Window lock
Material:Aluminum alloy
Surface treatment:Spraying(Black/Silver.....)
Surface treatment and color can be produced according to customer requirement.

YX-L16B

名称:窗锁

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Window lock
Material:Aluminum alloy
Surface treatment:Spraying(Black/Silver.....)
Surface treatment and color can be produced according to customer requirement.

YX-L20

名称:窗锁

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Window lock
Material:Aluminum alloy
Surface treatment:Spraying(Black/Silver.....)
Surface treatment and color can be produced according to customer requirement.

Window lock series/ 窗锁系列

YX-L23

名称:窗锁

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function:Window lock
Material:Aluminum alloy
Surface treatment:Spraying(Black/Silver.....)
Surface treatment and color can be produced according to customer requirement.

Window lock series/ 窗锁系列

YX-L25A

名称:窗锁

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Window lock
Material:Aluminum alloy
Surface treatment:Spraying(Black/Silver.....)
Surface treatment and color can be produced according to customer requirement.

Window lock series/ 窗锁系列

YX-L33

名称:窗锁

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function:Window lock
Material:iron/plastic
Surface treatment:Powder-coated(White/Black.....)
Surface treatment and color can be produced according to customer requirement.

Window lock series/ 窗锁系列

YX-L73

名称:窗锁

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Window lock
Material:Aluminium alloy
Surface treatment:Powder-coated(White/Black.....)
Spray-paint(Silver/Black.....) Surface treatment and color can be produced according to customer requirement.

YX-L24

名称:窗锁

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Window lock
Material:Aluminum alloy
Surface treatment:Spraying(Black/Silver.....)
Surface treatment and color can be produced according to customer requirement.

YX-L25B

名称:窗锁

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function:Window lock
Material:Aluminum alloy
Surface treatment:Spraying(Black/Silver.....)
Surface treatment and color can be produced according to customer requirement.

YX-L43

名称:窗锁

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function:Window lock
Material:iron
Surface treatment:Powder-coated(White/Black.....)
Surface treatment and color can be produced according to customer requirement.

YX-L76

名称:窗锁

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Window lock
Material:Aluminium alloy
Surface treatment:Powder-coated(White/Black.....)
Spray-paint(Silver/Black.....) Surface treatment and color can be produced according to customer requirement.

YX-L25

名称:窗锁

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function:Window lock
Material:Aluminum alloy
Surface treatment:Spraying(Black/Silver.....)
Surface treatment and color can be produced according to customer requirement.

YX-L26

名称:窗锁

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function:Window lock
Material:Aluminum alloy
Surface treatment:Spraying(Black/Silver.....)
Surface treatment and color can be produced according to customer requirement.

YX-L44B

名称:窗锁

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function:Window lock
Material:iron/plastic
Surface treatment:Powder-coated(White/Black.....)
Surface treatment and color can be produced according to customer requirement.

YX-L80

名称:窗锁

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Window lock
Material:Aluminium alloy
Surface treatment:Powder-coated(White/Black.....)
Spray-paint(Silver/Black.....) Surface treatment and color can be produced according to customer requirement.

Door flush bolts series/插销系列

YX-L513

名称:插销

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function: Door sockets
Material: Zinc alloy
Surface treatment: Spraying (White/Black.....)
Plate (imitate gold/Chrome/Nickel.....) Surface treatment and color can be produced according to customer requirement.

Door flush bolts series/插销系列

YX-L802

名称:插销

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function: Door sockets
Material: Aluminium alloy
Surface treatment: Powder-coated (White/Black.....)
Plate (imitate gold/Chrome/Nickel.....) Surface treatment and color can be produced according to customer requirement.

YX-L513A

名称:插销

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function: Door sockets
Material: Aluminium alloy
Surface treatment: Powder-coated (White/Black.....)
Plate (imitate gold/Chrome/Nickel.....) Surface treatment and color can be produced according to customer requirement.

YX-L103

名称:摇窗器

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function: Windowlift
Material: Zinc alloy
Surface treatment: Spraying (White/Black.....)
Surface treatment and color can be produced according to customer requirement.

YX-L801

名称:插销

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function: Door sockets
Material: Aluminium alloy
Surface treatment: Powder-coated (White/Black.....)
Plate (imitate gold/Chrome/Nickel.....) Surface treatment and color can be produced according to customer requirement.

YX-L105

名称:摇窗器

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function: Windowlift
Material: Zinc alloy
Surface treatment: Spraying (White/Black.....)
Surface treatment and color can be produced according to customer requirement.

Lock body series/锁体系列

YX-D01

名称:锁体

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function: lock body
Material: iron/copper/stainless steel
Surface treatment: Spraying (black , white.....)
Surface treatment and color can be produced according to customer requirement.

Lock body series/锁体系列

YX-D04

名称:锁体

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function: lock body
Material: iron/copper/stainless steel
Surface treatment: Spraying (black , white.....)
Surface treatment and color can be produced according to customer requirement.

YX-D02

名称:锁体

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function: lock body
Material: iron/copper/stainless steel
Surface treatment: Spraying (black , white.....)
Surface treatment and color can be produced according to customer requirement.

YX-D06(7065)

名称:锁体

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function: lock body
Material: iron/copper/stainless steel
Surface treatment: Spraying (black , white.....)
Surface treatment and color can be produced according to customer requirement.

YX-D03

名称:锁体

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function: lock body
Material: iron/copper/stainless steel
Surface treatment: Spraying (black , white.....)
Surface treatment and color can be produced according to customer requirement.

YX-D06B(9045)

名称:锁体

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function: lock body
Material: iron/copper/stainless steel
Surface treatment: Spraying (black , white.....)
Surface treatment and color can be produced according to customer requirement.

Lock body series/锁体系列

YX-D06C

名称:锁体

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function: lock body
Material: iron/copper/stainless steel
Surface treatment: Spraying (white zinc.....)
Surface treatment and color can be produced according to customer requirement.

Lock body series/锁体系列

YX-D15

名称:锁芯

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function: lock cylinder
Material: copper
Surface treatment: Plate (Primary, chromium white.....)
Surface treatment and color can be produced according to customer requirement.

YX-D16

名称:锁体

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function: lock body
Material: iron/copper/stainless steel
Surface treatment: Spraying (black, white.....)
Surface treatment and color can be produced according to customer requirement.

YX-D16

名称:锁芯

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function: lock cylinder
Material: copper
Surface treatment: Plate (Primary, chromium white.....)
Surface treatment and color can be produced according to customer requirement.

YX-D999B

名称:锁体

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function: lock body
Material: iron/copper/stainless steel
Surface treatment: Spraying (white zinc.....)
Surface treatment and color can be produced according to customer requirement.

YX-D17

名称:锁芯

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function: lock cylinder
Material: copper
Surface treatment: Plate (Primary, chromium white.....)
Surface treatment and color can be produced according to customer requirement.

Lock body series/锁体系列

YX-YD02B

名称:门扣板

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function: lock accessories
Material: stainless steel
Surface treatment: Plate (White zinc.....)
Surface treatment and color can be produced according to customer requirement.

Lock body series/锁体系列

YX-YD07A

名称:门扣板

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function: lock accessories
Material: stainless steel
Surface treatment: Plate (White zinc.....)
Surface treatment and color can be produced according to customer requirement.

YX-YD03B

名称:门扣板

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function: lock accessories
Material: stainless steel
Surface treatment: Plate (White zinc.....)
Surface treatment and color can be produced according to customer requirement.

YX-YD07B

名称:门扣板

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function: lock accessories
Material: stainless steel
Surface treatment: Plate (White zinc.....)
Surface treatment and color can be produced according to customer requirement.

YX-YD05B

名称:门扣板

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function: lock accessories
Material: stainless steel
Surface treatment: Plate (White zinc.....)
Surface treatment and color can be produced according to customer requirement.

YX-YD07C

名称:门扣板

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function: lock accessories
Material: stainless steel
Surface treatment: Plate (White zinc.....)
Surface treatment and color can be produced according to customer requirement.

Hinge series/合页系列

YX-1128

名称:合页

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Hinge
Material:Aluminium alloy
Surface treatment:
Anodize natural(Black/Silver/Brown/Golden.....)
Surface treatment and color can be produced according to customer requirement.

Hinge series/合页系列

YX-1225

名称:合页

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Hinge
Material:Aluminium alloy
Surface treatment:
Anodize natural(Black/Silver/Brown/Golden.....)
Surface treatment and color can be produced according to customer requirement.

YX-1152

名称:合页

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Hinge
Material:Aluminium alloy
Surface treatment:
Anodize natural(Black/Silver/Brown/Golden.....)
Surface treatment and color can be produced according to customer requirement.

YX-1242

名称:合页

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Hinge
Material:Aluminium alloy
Surface treatment:
Anodize natural(Black/Silver/Brown/Golden.....)
Surface treatment and color can be produced according to customer requirement.

YX-1181

名称:合页

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Hinge
Material:Aluminium alloy
Surface treatment:
Anodize natural(Black/Silver/Brown/Golden.....)
Surface treatment and color can be produced according to customer requirement.

YX-1283


名称:合页

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function:Hinge
Material:Aluminium alloy
Surface treatment:
Anodize natural(Black/Silver/Brown/Golden.....)
Surface treatment and color can be produced according to customer requirement.

Shutter series/百叶窗系列



YX-ZB82

单位/Unit(mm)

页数/Pages	尺寸/Size	备注/Remarks
3	29	单拉手/Single hand
4	37	单拉手/Single hand
5	46	单拉手/Single hand
6	55	单拉手/Single hand
7	64	单拉手/Single hand
8	73	单拉手/Single hand
9	82	单拉手/Single hand
10	91	双拉手/Double hand
11	100	双拉手/Double hand
12	109	双拉手/Double hand
13	118	双拉手/Double hand
14	127	双拉手/Double hand



YX-ZB83

单位/Unit(mm)

页数/Pages	尺寸/Size	备注/Remarks
3	44	单拉手/Single hand
4	58	单拉手/Single hand
5	72	单拉手/Single hand
6	86	单拉手/Single hand
7	100	单拉手/Single hand
8	114	单拉手/Single hand
9	128	单拉手/Single hand
10	142	单拉手/Single hand
11	156	单拉手/Single hand
12	160	单拉手/Single hand
13	174	单拉手/Single hand
14	188	单拉手/Single hand



YX-ZB84


单位/Unit(mm)

页数/Pages	尺寸/Size	备注/Remarks
3	29	单拉手/Single hand
4	37	单拉手/Single hand
5	46	单拉手/Single hand
6	55	单拉手/Single hand
7	64	单拉手/Single hand
8	73	单拉手/Single hand
9	82	单拉手/Single hand
10	91	单拉手/Single hand
11	100	单拉手/Single hand
12	109	单拉手/Single hand
13	118	单拉手/Single hand
14	127	单拉手/Single hand

Alloy corner joint series/连接角码系列

YX-ZY09
名称:连接角码

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Corner
Material:Aluminium alloy
Surface treatment:Sand beating Surface treatment and color can be produced according to customer requirement.

Alloy corner joint series/连接角码系列

YX-ZY28
名称:连接角码

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Corner
Material:Aluminium alloy
Surface treatment:Sand beating Surface treatment and color can be produced according to customer requirement.

Alloy corner joint series/连接角码系列

YX-ZY10
名称:连接角码

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Corner
Material:Aluminium alloy
Surface treatment:Sand beating Surface treatment and color can be produced according to customer requirement.

Alloy corner joint series/连接角码系列

YX-ZY13
名称:连接角码


AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function:Corner
Material:Aluminium alloy
Surface treatment:Sand beating Surface treatment and color can be produced according to customer requirement.

YX-ZY10B
名称:连接角码


AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function:Corner
Material:Aluminium alloy
Surface treatment:Sand beating Surface treatment and color can be produced according to customer requirement.

YX-ZY80
名称:连接角码


AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function:Corner
Material:Aluminium alloy
Surface treatment:Sand beating Surface treatment and color can be produced according to customer requirement.

YX-ZY11
名称:连接角码


AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function:Corner
Material:Aluminium alloy
Surface treatment:Sand beating Surface treatment and color can be produced according to customer requirement.

YX-ZY14
名称:连接角码


AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function:Corner
Material:Aluminium alloy
Surface treatment:Sand beating Surface treatment and color can be produced according to customer requirement.

YX-ZY016
名称:连接角码


AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function:Corner
Material:Aluminium alloy
Surface treatment:Sand beating Surface treatment and color can be produced according to customer requirement.

YX-ENJ
名称:连接角码


AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function:Corner
Material:Aluminium alloy
Surface treatment:Sand beating Surface treatment and color can be produced according to customer requirement.

YX-ZY12
名称:连接角码


AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function:Corner
Material:Aluminium alloy
Surface treatment:Sand beating Surface treatment and color can be produced according to customer requirement.

YX-ZY015
名称:连接角码

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Corner
Material:Aluminium alloy
Surface treatment:Sand beating Surface treatment and color can be produced according to customer requirement.

Alloy corner joint series/连接角码系列

YX-ZY17

名称:连接角码

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function:Corner
Material:Plastic
Surface treatment:Sand beating Surface treatment and color can be produced according to customer requirement.

Alloy corner joint series/连接角码系列

YX-ZY1013

名称:连接角码

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Corner
Material:Aluminium alloy
Surface treatment:Sand beating Surface treatment and color can be produced according to customer requirement.

Alloy corner joint series/连接角码系列

YX-ZY4017

名称:连接角码

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Corner
Material:Aluminium alloy
Surface treatment:Sand beating Surface treatment and color can be produced according to customer requirement.

Alloy corner joint series/连接角码系列

YX-ZY4022

名称:连接角码

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Corner
Material:Aluminium alloy
Surface treatment:Sand beating Surface treatment and color can be produced according to customer requirement.

YX-ZY21

名称:连接角码

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Corner
Material:Aluminium alloy
Surface treatment:Sand beating Surface treatment and color can be produced according to customer requirement.

YX-ZY4015

名称:连接角码

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Corner
Material:Aluminium alloy
Surface treatment:Sand beating Surface treatment and color can be produced according to customer requirement.

YX-ZY4018

名称:连接角码

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Corner
Material:Aluminium alloy
Surface treatment:Sand beating Surface treatment and color can be produced according to customer requirement.

YX-ZY4023

名称:连接角码

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Corner
Material:Aluminium alloy
Surface treatment:Sand beating Surface treatment and color can be produced according to customer requirement.

YX-ZY35

名称:连接角码

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Corner
Material:Aluminium alloy
Surface treatment:Sand beating Surface treatment and color can be produced according to customer requirement.

YX-ZY4016

名称:连接角码

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Corner
Material:Aluminium alloy
Surface treatment:Sand beating Surface treatment and color can be produced according to customer requirement.

YX-ZY4021

名称:连接角码

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function:Corner
Material:Aluminium alloy
Surface treatment:Sand beating Surface treatment and color can be produced according to customer requirement.

YX-ZY612(4026)

名称:连接角码

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Corner
Material:Aluminium alloy
Surface treatment:Sand beating Surface treatment and color can be produced according to customer requirement.

Alloy corner joint series/连接角码系列

YX-ZYA01

名称:连接角码

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Corner
Material:Aluminium alloy
Surface treatment:Sand beating Surface treatment and color can be produced according to customer requirement.

YX-ZYB01

名称:连接角码

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Corner
Material:Aluminium alloy
Surface treatment:Sand beating Surface treatment and color can be produced according to customer requirement.

YX-ZYB01

名称:连接角码

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Corner
Material:Aluminium alloy
Surface treatment:Sand beating Surface treatment and color can be produced according to customer requirement.

Window pulleys series/窗轮系列

YX-YA56

名称:窗轮

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Roller
Material:Aluminium alloy
Surface treatment:Primary color.....
Remark:Pulley material is Copper Surface treatment and color can be produced according to customer requirement.

YX-YA86

名称:窗轮

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Roller
Material:iron
Surface treatment:Primary color.....
Remark:Pulley material is Copper Surface treatment and color can be produced according to customer requirement.

YX-YA78

名称:窗轮

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Roller
Material:Aluminium alloy
Surface treatment:Primary color.....
Remark:Pulley material is Copper Surface treatment and color can be produced according to customer requirement.

Window pulleys series/窗轮系列

YX-YA108

名称:窗轮

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Roller
Material:Aluminium alloy
Surface treatment:Primary color.....
Remark:Pulley material is Copper Surface treatment and color can be produced according to customer requirement.

YX-YA133

名称:窗轮

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Roller
Material:iron
Surface treatment:Primary color.....
Remark:Pulley material is Copper Surface treatment and color can be produced according to customer requirement.

YX-YA138

名称:窗轮

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Roller
Material:iron
Surface treatment:Primary color.....
Remark:Pulley material is Copper Surface treatment and color can be produced according to customer requirement.

Window pulleys series/窗轮系列

YX-YA157

名称:窗轮

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Roller
Material:Aluminium alloy
Surface treatment:Primary color.....
Remark:Pulley material is Copper Surface treatment and color can be produced according to customer requirement.

YX-YB01

名称:窗轮

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Roller
Material:Plastic
Surface treatment:Primary color.....
Remark:Pulley material is Copper Surface treatment and color can be produced according to customer requirement.

YX-YB01A

名称:窗轮

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Roller
Material:Plastic
Surface treatment:Primary color.....
Remark:Pulley material is Copper Surface treatment and color can be produced according to customer requirement.

Window pulleys series/窗轮系列

YX-YB002

名称:窗轮

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Roller
Material:Plastic
Surface treatment:Primary color.....
Remark:Pulley material is Copper Surface treatment and color can be produced according to customer requirement.

Window pulleys series/窗轮系列

YX-YB05A

名称:窗轮

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Roller
Material:Plastic
Surface treatment:Primary color.....
Remark:Pulley material is Copper Surface treatment and color can be produced according to customer requirement.

Window pulleys series/窗轮系列

YX-YB22

名称:窗轮

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Roller
Material:iron
Surface treatment:Primary color.....
Remark:Pulley material is Copper Surface treatment and color can be produced according to customer requirement.

Window pulleys series/窗轮系列

YX-YB26

名称:窗轮

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Roller
Material:Plastic
Surface treatment:Primary color.....
Remark:Pulley material is Copper Surface treatment and color can be produced according to customer requirement.

YX-YB02A

名称:窗轮

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Roller
Material:Plastic
Surface treatment:Primary color.....
Remark:Pulley material is Copper Surface treatment and color can be produced according to customer requirement.

YX-YB04A

名称:窗轮

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Roller
Material:Aluminium alloy
Surface treatment:Primary color.....
Remark:Pulley material is Copper Surface treatment and color can be produced according to customer requirement.

YX-YB23

名称:窗轮

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Roller
Material:iron
Surface treatment:Primary color.....
Remark:Pulley material is Copper Surface treatment and color can be produced according to customer requirement.

YX-YB030

名称:窗轮

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Roller
Material:Plastic
Surface treatment:Primary color.....
Remark:Pulley material is Copper Surface treatment and color can be produced according to customer requirement.

YX-YB03A

名称:窗轮

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Roller
Material:Plastic
Surface treatment:Primary color.....
Remark:Pulley material is Copper Surface treatment and color can be produced according to customer requirement.

YX-YB04B

名称:窗轮

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Roller
Material:Aluminium alloy
Surface treatment:Primary color.....
Remark:Pulley material is Copper Surface treatment and color can be produced according to customer requirement.

YX-YB25

名称:窗轮

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Function:Roller
Material:Plastic
Surface treatment:Primary color.....
Remark:Pulley material is Copper Surface treatment and color can be produced according to customer requirement.

YX-YB03

名称:窗轮

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Function:Roller
Material:Plastic
Surface treatment:Primary color.....
Remark:Pulley material is Copper Surface treatment and color can be produced according to customer requirement.

Window pulleys series/窗轮系列

YX-YB34

名称:窗轮

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



Window pulleys series/窗轮系列

YX-YB37

名称:窗轮


AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



YX-YB35

名称:窗轮


AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



YX-YB37B

名称:窗轮


AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



YX-YB41B

名称:窗轮


AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	



YX-YB40B

名称:窗轮

AMOUNT/数量	
COLOR/颜色	
VOLUME/体积	




Friction stay series/铰链系列

Square Groove Double Fulcrum Open Hinge (YX-HKB12)

方槽双支点平开铰链(YX-HKB12)

- ◆The surface of the product is subjected to strict fine grinding.
- ◆Choose the best (304) stainless steel to make.
- ◆After fifty thousand strict switch tests, it can still operate normally and ensure durability.
- ◆It can only adjust the positioning slider to the desired angle when the angle is adjustable.
- ◆In line with China's GB/T3888 "aluminum alloy window stainless steel sliding support" standard.
- ◆产品表面经过严格精细的磨砂处理
- ◆选用最优良的(304)不锈钢制造
- ◆五万次严格开关测试后仍能操作正常, 确保经久耐用
- ◆次可调节角度, 只需要把定位滑块调节至所需角度即可
- ◆符合中国GB/T3888《铝合金窗不锈钢滑撑》标准



RECOMMENDED MAXIMUM WINDOW WSIZE AND WEIGHT

产品规格及技术参数

Hinge mounting dimensions (mm)

铰链安装尺寸 (mm)

Specifications 产品规格	A	B	C	D	E	F	G	H	I	J	Rod Number 连杆数	Highest 窗最高(mm)	Width 窗最宽(mm)	Heaviest 窗最重(Kg)	Open Angle 开启角度(±2°)
08	38	—	88	160	32	—	—	—	157	195	4	1500	550	28	83±2°
10	38	65	105	203	32	—	—	—	207	250	4	1500	500	24	85±2°
12	38	72	113	215	32	146	—	213	249	293	4	1500	550	28	83±2°
14	38	92	133	235	32	146	239	—	280	340	4	1500	600	34	85±2°
16	38	102	143	250	32	153	243	273	347	394	4	1500	700	38	87±2°
18	38	100	140	250	320	154	246	274	349	445	4	1800	700	44	90-2°
20	38	205	245	353	32	—	231	296	334	490	5	1800	800	48	55±2°
22	38	205.5	246	490	32	—	278	306.5	458.3	564.5	5	1800	900	51	55±2°
24	38	231.5	271.5	516	32	—	254.5	312	483	615	5	1800	1000	52	83±2°


Friction stay series/铰链系列

Circular Groove Single Fulcrum Flat Open Hinge (YX-HKA10)

圆槽单支点平开铰链(YX-HKA10)

- ◆The surface of the product is subjected to strict fine grinding.
- ◆Choose the best (304) stainless steel to make.
- ◆After fifty thousand strict switch tests, it can still operate normally and ensure durability.
- ◆It can only adjust the positioning slider to the desired angle when the angle is adjustable.
- ◆In line with China's GB/T3888 "aluminum alloy window stainless steel sliding support" standard.

- ◆产品表面经过严格精细的磨沙处理
- ◆选用最优良的(304)不锈钢制造
- ◆五万次严格开关测试后仍能操作正常, 确保长久耐用
- ◆次可调节角度, 只需要把定位滑块调节至所需角度即可
- ◆符合中国GB/T3888《铝合金窗不锈钢滑撑》标准



RECOMMENDED MAXIMUM WINDOW WSIZE AND WEIGHT

产品规格及技术参数

Hinge mounting dimensions (mm)

铰链安装尺寸 (mm)

Specifications 产品规格	A	B	C	D	E	F	G	H	I	Highest 窗最高(mm)	Width 窗最宽(mm)	Heaviest 窗最重(Kg)	Open Angle 开启角度(±2°)
08	33	—	140	150	34	—	164	200	203	900	400	10	65°
10	33	—	169	180	34	—	216	248	253	1000	450	19.5	90°
12	33	52	177	190	34	209	249	293	303	1100	450	23.5	90°
14	33	53	202	214	39	259	289	346	350	1100	500	27	90°
16	33	55	237	250	32	282	340	396	405	1200	600	29.5	90°
18	33	54	279	291	32	282	388	441	449	1200	800	32	90°


Friction stay series/铰链系列

Square Groove Double Fulcrum Hanging Hinge (YX-HKD16)

方槽双支点上悬铰链(YX-HKD16)

- ◆The surface of the product is subjected to strict fine grinding.
- ◆Choose the best (304) stainless steel to make.
- ◆After fifty thousand strict switch tests, it can still operate normally and ensure durability.
- ◆It can only adjust the positioning slider to the desired angle when the angle is adjustable.
- ◆In line with China's GB/T3888 "aluminum alloy window stainless steel sliding support" standard.

- ◆产品表面经过严格精细的磨沙处理
- ◆选用最优良的(304)不锈钢制造
- ◆五万次严格开关测试后仍能操作正常, 确保长久耐用
- ◆次可调节角度, 只需要把定位滑块调节至所需角度即可
- ◆符合中国GB/T3888《铝合金窗不锈钢滑撑》标准



RECOMMENDED MAXIMUM WINDOW WSIZE AND WEIGHT

产品规格及技术参数

Hinge mounting dimensions (mm)

铰链安装尺寸 (mm)

Specifications 产品规格	A	B	C	D	E	F	G	H	I	J	Rod Number 连杆数	Highest 窗最高(mm)	Width 窗最宽(mm)	Heaviest 窗最重(Kg)	Open Angle 开启角度(±2°)
10	37	82	—	145	37	—	178	204	—	249	4	800	1000	40	35°
12	37	82	117	164	37	—	190	220	250	294	4	1000	1000	50	35°
14	37	82	155	200	37	168	223	256	283	343	4	1200	1000	60	35°
16	37	82	173	222	37	163	220	250	280	395	4	1400	1000	72	25/30°
18	37	82	196	243	37	206	273	300	347	445	4	1400	1400	90	25/30°
20	37	82	260	305	37	212	278	314	440	508	6	1400	1500	92	25/30°
22	37	82	245	290	37	194	286	327	446	530	6	1500	1500	95	25/30°
24	37	82	245	289	37	230	299	333	513	600	6	1600	1500	102	25/30°

Friction stay series/铰链系列

Flat Single Point Telescopic Bracing (YX-HKP22)

扁型单点伸缩支撑(YX-HKP22)

1. telescopic braces are used for hanging windows to limit window opening.
2. The telescopic support can automatically lock the window in the set opening position so as to ventilate, maintain the window and prevent the sudden closure of the window by strong wind.
3. to relax the locking state of telescopic braces, simply lift the windows up slightly and then close them.
4. conform to China QB/T3887-1999 "aluminum alloy window bracing" standard.

1. 伸缩支撑是用于顶悬窗上, 来限制窗户打开程度。
2. 伸缩支撑可使窗户自动锁定在设定的打开位置, 以使通风、维修窗户和防止强风使窗户突然关闭。
3. 要松脱伸缩支撑的锁定状态, 只需将窗户轻轻往上提升一下, 然后关闭。
4. 符合中国QB/T3887-1999《铝合金窗撑档》标准。




RECOMMENDED MAXIMUM WINDOW WSIZE AND WEIGHT

产品规格及技术参数

Specifications 产品规格	A Mounting Hole Spacing A安装孔距(mm)	L Shrinkage Dimension L收缩尺寸(mm)	L1 Elongation Dimension L1伸长尺寸(mm)
8	45.0	203	303.5
10	45.0	254	405.5
12	45.0	304	505.5
14	45.0	355	607.5
16	45.0	395	716

Hinge mounting dimensions (mm)

铰链安装尺寸 (mm)



Friction stay series/铰链系列

Square Groove Four Link Stainless Steel One-way Hinge (YX-HKJ26)

方槽四连杆不锈钢单向铰链(YX-HKJ26)

- ◆ 18 square groove five-bar one-way professional sliding support, easy to open, high stability, safe use and other advantages suitable for large windows.
- ◆ 18方槽五连杆单向专业滑撑、有开启容易、稳定性高、使用安全等优点适用于大型窗户使用。



Hinge mounting dimensions (mm)


铰链安装尺寸 (mm)

Specifications 产品规格	A	B	C	D
8	209	30	172	129
10	262	30	226	175
12	314	30	28	228
14	310	30	274	228
16	362	30	326	276
18	412	30	376	323


RECOMMENDED MAXIMUM WINDOW WSIZE AND WEIGHT

产品规格及技术参数


Specifications 产品规格	Highest 窗最高(mm)	Width 窗最宽(mm)	Heaviest 窗最重(Kg)	Open Angle 开启角度(±2°)
8	330	1200	15	60° ±2°
10	380	1200	18	90° -2°
12	530	1200	19	90° -2°
14	630	1200	21	60° ±2°
16	730	1200	23	60° ±2°
18	930	1200	25	60° ±2°




Accessories series/配件系列




YX-YL43




YX-YL44



YX-YL45




YX-YL46




YX-YL47



YX-YL47A




YX-YL47B



YX-YL47C




YX-YL47D




YX-YL47E


Accessories series/配件系列




YX-YL63



YX-YL67



YX-YL72




YX-YL73




YX-YL77




YX-YL79




YX-YL80



YX-YL83






YX-YL84




YX-YL85

Door control series/门控系列



Door control series/门控系列



YX-149A

材质/material: 桃木、砂钢、星点
Peach Wood, sand Steel, star Point

规格/size(mm): 38x600 38x1200 51x1800		
A:600	B:550	C:38
A:1200	B:1100	C:38
A:1800	B:1700	C:51

YX-310A

材质/material: 砂钢、中砂
Sand Steel, medium Sand

规格/size(mm):		
A:350	B:280	C:30x15
A:600	B:400	C:45x25
A:800	B:600	C:45x25
A:1200	B:900	C:45x25
A:1800	B:1300	C:45x25

YX-311A

材质/material: 砂钢、星点
Sand Steel, star Point

规格/size(mm):		
A:600	B:400	C:19x38
A:600	B:400	C:25x45
A:800	B:600	C:25x45
A:1200	B:900	C:25x45

YX-528

材质/material: 砂银、星点
Sand Silver, star Point

规格/size(mm): 38x800 38x1200 38x1800		
A:800	C:38	
A:1200	C:38	
A:1800	C:38	

YX-204D


材质/material: 桃木、砂钢、星点
Peach Wood, sand Steel, star Point

规格/size(mm): 38x600 38x800 38x1200		
A:600	C:38	
A:800	C:38	

YX-8304A

材质/material:		
规格/size(mm): 38x600 38x800		
A:500	B:300	C:32
A:600	B:400	C:38
A:800	B:500	C:38

Door control series/门控系列




YX-8239

材质/material: 砂钢、起线、拉丝
Sand Steel, Wire Drawing,
Wire Drawing

规格/size(mm):

A:300	B:180	C:25
A:500	B:300	C:32
A:600	B:400	C:38
A:800	B:500	C:38



YX-8104

材质/material: 中砂 Medium sand

规格/size(mm): 32x500 38x600 38x800 38x1200 38x1800

A:500	B:300	C:32
A:600	B:400	C:38
A:800	B:550	C:38
A:1200	B:900	C:38
A:1800	B:1400	C:38



YX-326

材质/material: 中砂 Medium sand

规格/size(mm): 25x300 32x500 38x600 38x800

A:400	B:375	C:25
A:500	B:460	C:32
A:600	B:560	C:38
A:800	B:760	C:38



YX-8502


材质/material: 砂钢 Sand Steel

规格/size(mm): 25x300 32x500 38x600 38x800

A:400	B:250	C:32
A:500	B:300	C:32
A:600	B:400	C:38
A:800	B:550	C:38

Door control series/门控系列


YX-220A



- ◆ Apply to the most gate width 800-1000mm, height 1800-2100mm, maximum gate weight 105kg.
- ◆ The maximum opening of the door leaf is 116°, and 90° or 105° can be chosen for positioning.
- ◆ The adjustment of two elements is to meet the closed door effect of different occasions.
- ◆ Built-in pressure relief valve to prevent damage or leakage of ground springs caused by closed doors under external pressure or strong wind.
- ◆ General purpose design for door opening with left, right hand and single two-way.
- ◆ Adopt low temperature antifreeze hydraulic oil to ensure that the closing speed will not be affected under the temperature of 40° below zero.
- ◆ Cement box adjustable length 5mm, width 5mm, in the calibration of zero can be adjusted lengthwise [2], can be adjusted to make the installation of products more convenient.

- ◆ 适用于最大门宽度800-1000mm, 高度1800-2100mm, 最大门重105kg。
- ◆ 门扇最大开启116°, 可选择90° 或105° 定位。
- ◆ 二段索的调节, 以满足不同场合要求的闭门效果。
- ◆ 内置减压阀, 防止因外来强压或强风状态下闭门而造成的地弹簧损坏或漏油。
- ◆ 通用型设计, 适合左、右手及双向开启门扇。
- ◆ 采用低温防冻液压油, 确保在零下40° 气温下不会影响闭门速度。
- ◆ 水泥盒中可调长度5mm、宽度5mm, 在校准零位时可纵向调节±2°, 可高低调节使产品安装时更加方便。

YX-220B




- ◆ Apply to the most gate width 850-1100mm, height 1900-2100mm, maximum gate weight 115kg.
- ◆ The maximum opening of the door leaf is 116°, and 90° or 105° can be chosen for positioning.
- ◆ The adjustment of two elements is to meet the closed door effect of different occasions.
- ◆ Built-in pressure relief valve to prevent damage or leakage of ground springs caused by closed doors under external pressure or strong wind.
- ◆ General purpose design for door opening with left, right hand and single two-way.
- ◆ Adopt low temperature antifreeze hydraulic oil to ensure that the closing speed will not be affected under the temperature of 40° below zero.
- ◆ Cement box adjustable length 5mm, width 5mm, in the calibration of zero can be adjusted lengthwise [2], can be adjusted to make the installation of products more convenient.

- ◆ 适用于最大门宽度850-1100mm, 高度1900-2100mm, 最大门重115kg。
- ◆ 门扇最大开启116°, 可选择90° 或105° 定位。
- ◆ 二段索的调节, 以满足不同场合要求的闭门效果。
- ◆ 内置减压阀, 防止因外来强压或强风状态下闭门而造成的地弹簧损坏或漏油。
- ◆ 通用型设计, 适合左、右手及双向开启门扇。
- ◆ 采用低温防冻液压油, 确保在零下40° 气温下不会影响闭门速度。
- ◆ 水泥盒中可调长度5mm、宽度5mm, 在校准零位时可纵向调节±2°, 可高低调节使产品安装时更加方便。

Door control series/门控系列


YX-220C



- ◆ Apply to the most gate width 900-1200mm, height 1900-2200mm, maximum gate weight 120kg.
- ◆ The maximum opening of the door leaf is 116°, and 90° or 105° can be chosen for positioning.
- ◆ The adjustment of two elements is to meet the closed door effect of different occasions.
- ◆ Built-in pressure relief valve to prevent damage or leakage of ground springs caused by closed doors under external pressure or strong wind.
- ◆ General purpose design for door opening with left, right hand and single two-way.
- ◆ Adopt low temperature antifreeze hydraulic oil to ensure that the closing speed will not be affected under the temperature of 40° below zero.
- ◆ Cement box adjustable length 5mm, width 5mm, in the calibration of zero can be adjusted lengthwise [2], can be adjusted to make the installation of products more convenient.

- ◆ 适用于最大门宽度900-1200mm, 高度1900-2200mm, 最大门重120kg。
- ◆ 门扇最大开启116°, 可选择90° 或105° 定位。
- ◆ 二段索的调节, 以满足不同场合要求的闭门效果。
- ◆ 内置减压阀, 防止因外来强压或强风状态下闭门而造成的地弹簧损坏或漏油。
- ◆ 通用型设计, 适合左、右手及单双向开启门扇。
- ◆ 采用低温防冻液压油, 确保在零下40° 气温下不会影响闭门速度。
- ◆ 水泥盒中可调长度5mm、宽度5mm, 在校准零位时可纵向调节±2°, 可高低调节使产品安装时更加方便。

YX-222



- ◆ Apply to the most gate width 1100-1250mm, height 2000-2250mm, maximum gate weight 105-145kg.
- ◆ The maximum opening of the door leaf is 116°, and 90° or 105° can be chosen for positioning.
- ◆ The adjustment of two elements is to meet the closed door effect of different occasions.
- ◆ Built-in pressure relief valve to prevent damage or leakage of ground springs caused by closed doors under external pressure or strong wind.
- ◆ General purpose design for door opening with left, right hand and single two-way.
- ◆ Adopt low temperature antifreeze hydraulic oil to ensure that the closing speed will not be affected under the temperature of 40° below zero.
- ◆ Cement box adjustable length 5mm, width 5mm, in the calibration of zero can be adjusted lengthwise [2], can be adjusted to make the installation of products more convenient.


- ◆ 适用于最大门宽度1100-1250mm, 高度2000-2250mm, 最大门重105-145kg。
- ◆ 门扇最大开启116°, 可选择90° 或105° 定位。
- ◆ 二段索的调节, 以满足不同场合要求的闭门效果。
- ◆ 内置减压阀, 防止因外来强压或强风状态下闭门而造成的地弹簧损坏或漏油。
- ◆ 通用型设计, 适合左、右手及单双向开启门扇。
- ◆ 采用低温防冻液压油, 确保在零下40° 气温下不会影响闭门速度。
- ◆ 水泥盒中可调长度5mm、宽度5mm, 在校准零位时可纵向调节±2°, 可高低调节使产品安装时更加方便。

Door control series/门控系列

YX-BA010



- ◆ Material: high strength aluminum alloy / cast iron / steel plate / raw material production;
- ◆ It is suitable for installation and use of tempered glass doors with thickness of (12-15mm).
- ◆ Surface treatment: mirror, sand, titanium.
- ◆ Equipped with various specifications of stainless steel precision casting shaft head, in addition to the precise cooperation with their own brands, but also with other different brands with the use of Attention:
- ◆ glass doors must be tempered.




- ◆ 材质: 采用高强度铝合金/铸铁钢板/原材料生产;
- ◆ 适用于厚度为(12-15mm)钢化玻璃门安装使用;
- ◆ 表面处理: 镜面、砂面、钛金;
- ◆ 配备多种规格的不锈钢精铸轴头, 除与自身品牌的精密配合外, 还可与其他不同品牌配合使用
- ◆ 注意: 玻璃门必须钢化



YX-BA020

- ◆ Material: high strength aluminum alloy / cast iron / steel plate / raw material production;
- ◆ It is suitable for installation and use of tempered glass doors with thickness of (12-15mm).
- ◆ Surface treatment: mirror, sand, titanium.
- ◆ Equipped with various specifications of stainless steel precision casting shaft head, in addition to the precise cooperation with their own brands, but also with other different brands with the use of Attention:
- ◆ glass doors must be tempered.




- ◆ 材质: 采用高强度铝合金/铸铁钢板/原材料生产;
- ◆ 适用于厚度为(12-15mm)钢化玻璃门安装使用;
- ◆ 表面处理: 镜面、砂面、钛金;
- ◆ 配备多种规格的不锈钢精铸轴头, 除与自身品牌的精密配合外, 还可与其他不同品牌配合使用
- ◆ 注意: 玻璃门必须钢化





YX-BA030

- ◆ Material: high strength aluminum alloy / cast iron / steel plate / raw material production;
- ◆ It is suitable for installation and use of tempered glass doors with thickness of (12-15mm).
- ◆ Surface treatment: mirror, sand, titanium.
- ◆ Equipped with various specifications of stainless steel precision casting shaft head, in addition to the precise cooperation with their own brands, but also with other different brands with the use of Attention:
- ◆ glass doors must be tempered.



- ◆ 材质: 采用高强度铝合金/铸铁钢板/原材料生产;
- ◆ 适用于厚度为(12-15mm)钢化玻璃门安装使用;
- ◆ 表面处理: 镜面、砂面、钛金;
- ◆ 配备多种规格的不锈钢精铸轴头, 除与自身品牌的精密配合外, 还可与其他不同品牌配合使用
- ◆ 注意: 玻璃门必须钢化

Door control series/门控系列



YX-BA040

- ◆Material: high strength aluminum alloy / cast iron / steel plate / raw material production;
- ◆It is suitable for installation and use of tempered glass doors with thickness of (12-15mm).
- ◆Surface treatment: mirror, sand, titanium.
- ◆Equipped with various specifications of stainless steel precision casting shaft head, in addition to the precise cooperation with their own brands, but also with other different brands with the use of Attention:
- ◆glass doors must be tempered.

- ◆材质: 采用高强度铝合金/铸铁/钢板/原材料生产;
- ◆适用于厚度为(12-15mm)钢化玻璃门安装使用;
- ◆表面处理: 镜面、砂面、钛金;
- ◆配备多种规格的不锈钢精铸轴头, 除与自身品牌的精密配合外, 还可与其他不同品牌配合使用
- ◆注意: 玻璃门必须钢化



YX-051



YX-061




YX-071




YX-073

- ◆Standard automatic door Archer
- ◆Left opening dimension (right opening size is the same).
- ◆标准式自动门弓器
- ◆左开安装尺寸(右开尺寸亦相同)



The edge line of a door (the center of rotation of a hinge).
门的边缘线(铰链之旋转中心)



TYPE	A	B	C	D	E
NO.0	61	126	153	17	22
NO.1	59	162	163	17	22
NO.2	56	188	173	17	22

Model 型号	The specification of the door 门的规格		
	Wide 宽(mm)	high 高(mm)	Weight 重量(kg)
NO.0	600	1500	25~45
NO.1	800	1800	45~65
NO.2	900	2100	65~85

Door accessories series/门控配件系列

YX-ZB78 Silicone Gun(压胶枪)



Door accessories series/门控配件系列

YX-ZB79 Silicone Gun(压胶枪)



YX-ZB80 Silicone Gun(压胶枪)



YX-ZB76A Nailing forceps(拉钉钳)



YX-ZB81B Silicone Gun(压胶枪)




YX-ZB77A Nailing forceps(拉钉钳)




Door accessories series/门控配件系列

YX-YD07D(Cover)



Door accessories series/门控配件系列

YX-P012



Door accessories series/门控配件系列

YX-P018(big) / YX-P019(small)




Door accessories series/门控配件系列


YX-Brush



YX-YD07D(Plastic)




YX-P014




YX-P020




YX-CORNER



YX-P010



YX-P015




YX-420Plastic



YX-Spring



YX-P011




YX-P016



YX-P030



YX-Screen Net




Door accessories series/门控配件系列

YX-TUBE COVER21#



Door accessories series/门控配件系列

YX-COVER



Door accessories series/门控配件系列

YX-4*18 Screw




Door accessories series/门控配件系列

YX-5*50 Screw



YX-Lock Cap



YX-COVER 1#、2#、3#、5#、6#



YX-5*20 Screw



YX-5*65 Screw



YX-SABOT CAP



YX-TUBE COVER 10#



YX-5*25 Screw



YX-Blind Rivets



Sealant series/粘胶系列

Sealant series/粘胶系列

维美YX-990 YX-990A硅酮结构密封胶

WEIMEIYX990 YX990-A SILICONE STRUCTURAL SEALING ADHESIVE

产品特性 Product properties

- ◆单组份，中性，室温固化硅酮结构密封胶。
- ◆优良的耐老化性能，具有抗紫外线，雨水，阳光等天然侵蚀。
- ◆备有黑、白、灰等多种颜色，可提供客户要求的其它颜色。
- ◆Single component, neutral, room curing silicone sealant.
- ◆Excellent resistance to ageing, ultraviolet, rainwater, sunlight and other natural erosion.
- ◆There are many colors such as black, white and grey. And other colors can be obtained according to customer's requirement.

包装规格 Packing specification

- ◆YX-990净容量300ml塑料筒
- ◆YX-990-A净容量590ml复合膜软包装
- ◆YX-990 net content 300ml plastic bottle
- ◆YX-990-A net content 590ml complex film soft package

产品用途 Product uses

- ◆适合于结构性装配应用。
- ◆各类铝合金、铝板、玻璃幕墙粘接密封。
- ◆各类建筑、工业密封。
- ◆suitable for structural assembly
- ◆Bonding and sealing aluminum alloy profiles, aluminum plate and glass curtain wall.
- ◆Building and industrial sealing

使用限制 Usage restrictions

- ◆不宜在材料温度低于4℃或超过40℃时施工。
- ◆不能在长期浸水表面及潮湿表面使用。
- ◆不能在含油脂及结霜的基材表面使用。
- ◆Not suitable for application on the material with temperature below 4℃ or exceeding 40℃
- ◆It can't be used on the surface soaked with water for a long time or on moist surface.
- ◆It can't be used on the substrate surface that contains oil and frosts.



维美YX-880 YX-880A硅酮耐候密封胶

WEIMEIYX880 YX880-A SILICONE STRUCTURAL SEALANT

产品特性 Product properties

- ◆单组份，中性，室温固化硅酮耐候密封胶。
- ◆优良的耐老化性能，具有抗紫外线，雨水，阳光等天然侵蚀。
- ◆备有黑、白、灰等多种颜色，可提供客户要求的其它颜色。
- ◆Single component, neutral, room curing silicone sealant.
- ◆Excellent resistance to ageing, ultraviolet, rainwater, sunlight and other natural erosion.
- ◆There are many colors such as black, white and grey. And other colors can be obtained according to customer's requirement.

包装规格 Packing specification

- ◆YX-880净容量300ml塑料筒
- ◆YX-880-A净容量590ml复合膜软包装
- ◆YX-880 net content 300ml plastic bottle
- ◆YX-880-A net content 590ml complex film soft package

产品用途 Product uses

- ◆各类玻璃幕墙耐候密封、金属铝板、搪瓷密封。
- ◆各类建筑、工业密封。
- ◆Glass curtain wall weather proofing sealing, aluminum plate, porcelain enamel sealing.
- ◆Building and industrial sealing

使用限制 Usage restrictions

- ◆不宜作为结构胶使用。
- ◆不宜在材料温度低于4℃或超过40℃时施工。
- ◆不能在长期浸水表面及潮湿表面使用。
- ◆不能在含油脂及结霜的基材表面使用。
- ◆Not suitable as structural glue
- ◆Not suitable for application on the material with temperature below 4℃ or exceeding 40℃
- ◆It can't be used on the surface soaked with water for a long time or on moist surface.
- ◆It can't be used on the substrate surface that contains oil and frosts.



项目	标准指标	检验结果	单项评定	
外观	细腻均匀膏状物，无结块凝胶，结皮及不易迅速分散的析出物	符合标准规定	合格	
接口错位承受能力	(在每小时八分一寸长期伸缩下)，/	±25%	合格	
最小接缝尺寸(宽度X深度)	/	1/4" 1/4"	合格	
最大接缝尺寸(宽度X深度)	/	1 3/8"	合格	
施工时间(min)	(27℃, 50%相对湿度)，/	30	合格	
表干时间(h)	(执行标准GB/16776-1997)，≤3	0.6	合格	
固化时间(h)	(3/8"深, 27℃相对湿度)，/	120-168	合格	
施工温度范围(h)	/	+4.4至+60℃	合格	
固化后可承受温度范围	-40-150℃	-62至+204℃	合格	
邵氏硬度	30-60	49	合格	
抗拉张力	(ASTMD412)(ASTMC1135)	485psi	合格	
下垂度, mm	垂直放置	≤3	0	合格
	水平放置	不变形	不变形	
挤出性, S		≤10	5.4	
热老化	热失重, %	≤10	3.4	合格
	龟裂	无	无	
	粉化	无	无	
拉伸粘结性Mpa	标准条件、	≥0.45	0.994	合格
	-30-90℃	≥0.45	1.450-0.846	
	水湿后	≥0.45	0.943	
	水紫外线光照后	≥0.45	0.951	



项目	标准指标	检验结果	单项评定	
外观	细腻均匀膏状物，不应有气泡，结皮和凝胶。	符合标准规定	合格	
接口错位承受能力	(在每小时八分一寸长期伸缩下)，/	±25%	合格	
最小接缝尺寸(宽度X深度)	/	1/4" 1/4"	合格	
最大接缝尺寸(宽度X深度)	/	1 3/8"	合格	
施工时间(min)	(27℃, 50%相对湿度)，≤15	10	合格	
表干时间(h)	(执行标准GB/14683-1993)，≤6	0.5	合格	
固化时间(h)	(3/8"深, 27℃, 50%相对湿度)，/	48	合格	
施工温度范围(h)	/	+4.4至+50℃	合格	
固化后可承受温度范围	-40-150℃	-48至+48℃	合格	
肖氏硬度A	(ASTMD2240)	30	合格	
抗拉张力	(ASTMD412)(ASTMC1135)	3.5kgf/cm ² (MM)1.8kgf/cm ² (L.M)(JISA5756)	合格	
挤出性, ml/min	≥80	84	合格	
流动性	下生度(L型)mm	≤3	0	合格
	自流平(L型)	自流平	/	
定伸性能(定伸粘结性)	定伸125%	合格	合格	
	龟裂	粘结和内聚破坏面积不大于50%	合格	

Sealant series/粘胶系列

YX-Yabang(silicone)

产品特性 Product properties

- ◆单组份, 中性, 室温固化硅酮密封胶.
- ◆优良的耐老化性能, 具有抗紫外线, 雨水, 阳光等天然侵蚀.
- ◆备有黑、白、灰等多种颜色. 可提供客户要求的其它颜色.
- ◆Single component, neutral, room curing silicone sealant.
- ◆Excellent resistance to ageing, ultraviolet, rainwater, sunlight and other natural erosion.
- ◆There are many colors such as black, white and grey. And other colors can be obtained according to customer's requirement.

包装规格 Packing specification

- ◆净容量300ml塑料筒
- ◆net content 300ml plastic bottle

产品用途 Product uses

- ◆各类门窗安装密封.
- ◆其它一般用途.
- ◆Installation and sealing of all kinds of doors and windows.
- ◆Other common uses.

使用限制 Usage restrictions

- ◆不适用于结构性装配应用.
- ◆不能在超过50度的基材表面使用.
- ◆不能在长期浸水表面及潮湿表面使用.
- ◆不能在含油脂及结霜的基材表面使用.
- ◆Not suitable for the application of structural assembly.
- ◆It can't be used on the substrate surface with temperature of more than 50 degrees.
- ◆It can't be used on the surface soaked with water for a long time or on moist surface.
- ◆It can't be used on the substrate surface that contains oil and frosts.



YX-Fortune(silicone)



项目	标准指标	检验结果	单项评定	
外观	细腻均匀膏状物, 无结块凝胶, 结皮及不易迅速分散的析出物	符合标准规定	合格	
接口变位承受能力	(在每小时八分之一寸长期伸缩下), /	± 25%	合格	
最小接缝尺寸(宽度X深度)	/	1/4" 1/4"	合格	
最大接缝尺寸(宽度X深度)	/	1" 3/8"	合格	
施工时间 (min)	(27°C, 50%相对湿度), /	30	合格	
表干时间 (h)	(执行标准GB/16776-1997), ≤3	0.6	合格	
固化时间 (h)	(3/8" 深, 27°C相对湿度), /	120-168	合格	
施工温度范围 (h)	/	+4.4至+60°C	合格	
固化后可承受温度范围	-40~150°C	-62至+204°C	合格	
邵氏硬度	30-60	49	合格	
抗拉张力	(ASTM D412)(ASTM C1135)	485psi	合格	
下垂度, mm	垂直放置	≤3	0	合格
	水平放置	不变形	不变形	
挤出性, S		≤10	5.4	合格
	热失重, %	≤10	3.4	
热老化	龟裂	无	无	合格
	粉化	无	无	
	标准条件,	≥0.45	0.994	
拉伸粘结性Mpa	-30~90°C	≥0.45	1.450~0.846	合格
	水浸后	≥0.45	0.943	
	水紫外线光照后	≥0.45	0.951	

Thermal barrier strips series/胶件系列



橡塑密封胶条(PVC)

Rubber and plastic sealant strip (PVC)

- 1、耐腐蚀、耐磨、耐酸酮和各类化学介质, 可焊接;
 - 2、使用寿命短, 随着时间的延长变硬变脆, 耐候性和低温性能差;
 - 3、适用于光照不强, 气候条件不恶劣的工程;
1. Corrosion resistant, wear resistant, acid resistant ketone and various chemical media can be welded.
 2. The service life is short, it becomes hard and brittle with the extension of time, and has poor weather resistance and low temperature performance.
 3. It is suitable for projects with poor illumination and bad climatic conditions.

三元乙丙密封胶条(EPDM)


Three yuan ethylene propylene sealant strip (EPDM)

- 1、耐臭氧性、耐候性、耐高湿、低温性能, 耐化学药品性能用多种极性溶液质;
 - 2、使用寿命长达20年, 可在40°C-168h不出现龟裂, 但耐油性差;
 - 3、适用于寒冷、高温、沿海、紫外线照射强烈地区等工程;
1. Ozone resistance, weather resistance, high humidity resistance, low temperature performance, chemical resistance with a variety of polar solution;
 2. the service life is as long as 20 years, it can not crack at 40 °C-168h, but its oil resistance is poor.
 3. suitable for cold, high temperature, coastal areas, strong ultraviolet radiation areas and other projects;

硅橡胶密封胶条(SILICON)


Silicone rubber sealant strip (SILICON)

- 1、耐高、低温、耐臭氧及耐候性能良好的弹性、耐油性良好;
 - 2、使用寿命长达50年, 可在-100°C~+300°C中使用;
 - 3、适用于高温、寒冷、紫外线照射强烈地区及高层建筑;
1. high temperature, low temperature, ozone resistance and weather resistance, good elasticity and oil resistance.
 2. the service life is as long as 50 years, and it can be used at -100°C~+300°C.
 3. suitable for high temperature, cold, ultraviolet radiation areas and high-rise buildings.






Thermal barrier strips series/胶件系列

Thermal barrier strips series/胶件系列



YONGXIN Aluminium

 P1015	 P1016	 P1024	 P3003	 P3009
 P3011	 P3020	 P3022	 P3027	 P5000
 P5003	 P5004	 P5009	 P5012	 P5014
 P5015	 P5018	 P5022	 P6000	 P6001
 P6004	 P6005	 P6008	 P6009	 P6010
 P6011	 P6015	 P6016	 P6018	 P6019
 P6020	 P6021	 P6024	 P6026	 P6028
 P6033	 P6034	 P7008	 P7012	 P7013
 P7022	 P7035	 P7038	 P7039	 P8014
 P8019	 P9001	 P9003	 P9005	 P9010

 **永信 BRAND**

Flight Whole world

跨越国度的贸易

Seeking perfect and fashionable living space feeling

生活与艺术的结晶
追求完美时尚的生活空间

Gathering high quality products, devoted to construction of architectural door and window hardware/silicone adhesive products, one-station purchase/matched service

汇聚优质精品，致力构建建筑门窗五金/硅酮胶产品，一站式采购/配套服务

诚信·品质追求卓越

敬广大客户:广东永信门窗五金科技有限公司对本册所列内容保留更改产品外观设计及规格的权利,如有变动届时恕不另行通知。
由于摄影与印刷关系,可能导致图册内产品图片的颜色、外观与实物尺寸略有差异,请以本厂发出的实物为准,敬请留意!
如需了解更多最新产品资讯,敬请浏览本企业国际互联网址 <http://www.windoors.com>

To dear customers: GUANGDONG YONGXIN DOORS AND WINDOWS HARDWARE TECHNOLOGY CO.LTD. reserve the rights to alternate the physical appearance design and specifications, which are subject to change without further notice.
The photographs in the catalogue are for reference only, which may vary from real products in colors and appearance for photographic or printing reasons, please subject to the real products!
For more information on the newest products, please browse our website: <http://www.windoors.com>



永信官方网站



永信国际网站



永信微信公众号

广东永信门窗五金科技有限公司

厂址:广东省肇庆国家高新区滨江路17号

销售中心:广东省佛山市南海区大沥凤池装饰材料市场二期C4座3楼

网址: www.yx-wj.cn

电 话: 4000-777-665, 0757-85556085/85527955/85521955

Guangdong Yongxin Window and Door Hardware Technology Co., Ltd.

Factory add.: No.17, Binjiang Road, High-tech Zone, Zhaoqing City, Guangdong, China.

Sales center : 3rd Floor, C4 building, Fengchi Zhuangshi Cailiao Shichang Erqi, Dali Town, Nanhai District, Foshan City, Guangdong Province, China.

Website: www.yx-windoors.com

E-mail : info@yx-windoors.com

Tel : 0086-757-85590241

Mobile/Whatsapp/wechat: 0086-18144731712

广东永信门窗五金科技有限公司

GUANGDONG YONGXIN DOORS AND WINDOWS HARDWARE TECHNOLOGY CO.LTD.



PRODUCT CATALOG
HARDWARE SPECIALIST

SINCE 1992 >>

广东永信门窗五金科技有限公司

GUANGDONG YONGXIN DOORS AND WINDOWS HARDWARE TECHNOLOGY CO.LTD.

BUILDING
DOORS AND WINDOWS
HARDWARE